

Reserved for holes (paper version)


# Kia Sorento


SUV, 4 doors, 5 & 7 seats From August 2020











		Airbag		Stored gas inflator		Seat belt preten- sioner		SRS control unit		Pedestrian protection active system
		Automatic rollover protection system	8	Gas strut/ Preloaded spring		High strength zone		Zone requiring special attention		
	000 000	Battery low voltage	HH	Ultra capacitor, low voltage		Fuel tank		Gas tank		Safety valve
	0	High voltage battery pack	1	High voltage power cable/ component	7	High voltage disconnect	0	Fuse box disabling high voltage system	<u> </u>	Ultra capacitor, high voltage
			ID No.		Versio	n No.	Versio	n date	Page	

05

06/2021

1/4


KNA-MQ4-RSI-03-202106

## 1. Identification / recognition



## 2. Immobilisation / stabilisation / lifting

- Immobilization
  - 1 Parking pedal




- 1. Move the shift lever to the P position.
- 2. Press the parking pedal to set the parking brake

<sup>2</sup> EPB



- 1. Push the P button.
- 2. Chock the wheels and pull the switch to set the parking brake.
- Lifting positions at car underbody:





ID No.	Version No.	Version date	Page
KNA-MQ4-RSI-03-202106	05	06/2021	2/4

### 3. Disable direct hazards / safety regulations

### ■ Access to the battery








1. Pull the release lever to unlatch the hood. The hood should pop open slightly.



2. Raise the hood slightly, push the secondary latch up (1) inside of the hood center and lift the hood (2)



3. Battery in the engine compartment

### **■** Disabling procedure





1 Turn the ignition switch off



② Disconnect the negative(-) terminal



③ Disconnect the positive(+) terminal

### 4. Access to the occupants

#### **■** Glass

1: Laminated


2 : Tempered OPT: Laminated

3: Tempered



## ■ Vehicle body





ID No.	Version No.	Version date	Page
KNA-MQ4-RSI-03-202106	05	06/2021	3/4

## 5. Stored energy / liquids / gases / solids


- Fuel Tank
- 67<sub>{</sub>
- **■** Battery
- 0 0 0 12 V

## 6. In case of fire

■ Gas Strut




Risk of missile effect of hood and trunk.




## 8. Towing / transportation / storage

## OK:



## Not OK:



[1] : Dolly

ID No.	Version No.	Version date	Page
KNA-MQ4-RSI-03-202106	05	06/2021	4/4