

XENARC ORIGINAL D3S

Four-year guarantee



The original spare parts with four-year guarantee

XENARC ORIGINAL lamps impress with a wide product range and the reliable OEM quality. Successfully used in millions of new automobiles from renowned manufacturers, whether as standard initial equipment or original spare parts. With up to 4,500 Kelvin color temperature, their light is closer to natural daylight than conventional halogen light with 3,200 Kelvin – and is thus more pleasant for the eyes. Thanks to the impressive intensity of the light, the lamps provide better visibility on the road. The durable lamps function as original spare parts of your vehicle and convince with their long lifetime. OSRAM provides a 4-year-guarantee for XENARC ORIGINAL lamps. Please note: XENARC lamp change is recommended to be carried out by a professional.



Technical data


Electrical Data

Power input	35 W
Nominal voltage	42.0 V
Nominal wattage	35 W
Test voltage	13.5 V
Power input tolerance	±3 %

Photometric Data

Nominal luminous flux	3200 lm
Luminous flux tolerance	±15 %
Color temperature	4300 K

Physical Attributes & Dimensions



Diameter	9 mm
Product weight	60.20 g
Length	83.2 mm
Lamp base	PK32d-5

Lifetime Data

Lifespan B3	2000 hr
Lifespan Tc	4000 hr
Guarantee	4 years

Capabilities

Technology	HID
------------	-----

Certificates & standards

Product datasheet

ECE category	D3S ¹⁾
Approval marks – approval	E1 approval

¹⁾ To be operated only with approved electronic control gear

Environmental & Regulatory Information



Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321807649 4052899199569 4052899183650 4062172084574 4062172066754 4008321735201 4052899600485 4062172396837 4008321807663
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	5aef8baf-bb8d-4ec6-948c-e2f16206841e 61cedfc4-3556-4aaa-8669-7ecfed4d8666 af212de5-b2c7-404c-acbe-c2ccabb83891 4ba45c38-8f60-4555-8439-6505375ae44e 0a4d97a8-a9fd-4b6e-82eb-08e719745496 6ee45626-045c-415b-b12b-09cf7da79801 b5de96fe-db0e-4cfb-9cd6-b43b44e32863 376b0721-24ea-47fb-bfec-afe17d86ad60 6e275300-8ea9-4bd5-bf1a-aa729070f942 49060069-850f-4c78-a673-69f4a461d650 8b6f0291-a6c0-4867-8df0-c00e69eb2091

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899199569	XENARC ORIGINAL D3S	Folding carton box 1	53 mm x 46 mm x 92 mm	0.01 dm ³	82.00 g
4052899262386	XENARC ORIGINAL D3S	Shipping carton box 4	115 mm x 101 mm x 103 mm	1.20 dm ³	352.00 g
4052899600485	XENARC ORIGINAL D3S	SCB 1	95 mm x 51 mm x 112 mm	0.01 dm ³	84.00 g
4052899600492	XENARC ORIGINAL D3S	Shipping carton box 4	216 mm x 106 mm x 150 mm	3.43 dm ³	410.00 g
4062172396837	XENARC ORIGINAL D3S	HFB ECO 1	90 mm x 51 mm x 120 mm	0.01 dm ³	85.00 g
4062172396844	XENARC ORIGINAL D3S	Shipping carton box 4	216 mm x 101 mm x 134 mm	2.92 dm ³	407.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsmp_product360degreeimages XENARC ORIGINAL D3S 66340

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

