

# ORIGINAL LINE HB3

Original spare part



## The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



# Product datasheet

## Technical data

### Product information

|   |                        |
|---|------------------------|
| Application (Category and Product specific) | Halogen headlight lamp |
|---|------------------------|

### General Product Information

|                        |      |
|------------------------|------|
| Global order reference | 9005 |
|------------------------|------|

### Electrical Data


|                 |                    |
|-----------------|--------------------|
| Power input     | 73 W <sup>1)</sup> |
| Nominal voltage | 12.0 V             |
| Nominal wattage | 60 W               |
| Test voltage    | 13.2 V             |

<sup>1)</sup> Maximum

### Photometric Data

|                         |         |
|-------------------------|---------|
| Nominal luminous flux   | 1700 lm |
| Luminous flux tolerance | ±12 %   |

### Physical Attributes & Dimensions



|                |         |
|----------------|---------|
| Diameter       | 12.0 mm |
| Product weight | 18.20 g |
| Length         | 76.2 mm |
| Lamp base      | P20d    |

### Lifetime Data

|             |        |
|-------------|--------|
| Lifespan B3 | 280 hr |
| Lifespan Tc | 550 hr |

## Product datasheet

### Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

### Certificates & standards

|              |     |
|--------------|-----|
| ECE category | HB3 |
|--------------|-----|

### Environmental & Regulatory Information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |  |
|---|--|
| Primary article identifier  | 4008321171214   4052899408562   4062172404662<br>  4050300137193   4008321166937  <br>4008321021083   4062172395304   4008321021014<br>  4008321795298 |
| Candidate list substance 1  | No declarable substances contained   |
| Declaration no. in SCIP database                                      | No declarable substances contained   |

### Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300137193 | OSRA9005   | -       | -          | -      |

### Logistical Data

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume                | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4050300137193 | ORIGINAL LINE HB3   | FS ECO<br>1                  | 47 mm x 47 mm x<br>71 mm             | 0.16 dm <sup>3</sup>  | 25.00 g      |
| 4050300137216 | ORIGINAL LINE HB3   | Shipping carton box<br>100   | 485 mm x 250 mm x<br>160 mm          | 19.40 dm <sup>3</sup> | 2768.00 g    |
| 4062172395304 | ORIGINAL LINE HB3   | BLI ECO<br>1                 | 95 mm x 47 mm x<br>135 mm            | 0.60 dm <sup>3</sup>  | 30.00 g      |
| 4062172395311 | ORIGINAL LINE HB3   | Shipping carton box<br>10    | 259 mm x 144 mm x<br>110 mm          | 4.10 dm <sup>3</sup>  | 371.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

| File |
|------|
|------|

## Product datasheet



User instruction  
GPRS\_Safety symbols instructions



ref\_pim\_amsproduct360degreeimages  
ORIGINAL HB3 9005

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM