

# NIGHT BREAKER LASER H3

Halogen light with excellent brightness





Up to 150% more brightness More light allows to see farther and therefore react sooner compared to the minimum legal standard



Up to 150m long beam For better visibility



Up to 20% whiter light More modern look compared to the minimum legal standard



#### Strong halogen light for high demands

Thanks to innovative laser ablation technology, NIGHT BREAKER LASER halogen headlight lamps shine up to 150% brighter compared to the minimum legal standard. The highly engineered filament ensures an extra light boost. Consequently, the lamps provide an up to 150m long beam and up to 20% whiter light compared to the minimum legal standard. More light and improved visibility can help drivers identify and react to traffic hazards more quickly. Last but not least: OSRAM NIGHT BREAKER LASER impresses with its unique design (laser-engraved product name) and complete portfolio (H1, H3, H4, H7, H8, H11, HB3, HB4).

#### Technical data

### **Product information**

Application (Category and Product specific) Halogen headlight lamp	
General Product Information	

#### **Electrical Data**


Power input	68 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	55 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

## **Photometric Data**

Nominal luminous flux	1450 lm
Luminous flux tolerance	±15 %

# **Physical Attributes & Dimensions**



Diameter	11.0 mm
Product weight	6.90 g
Length	42.0 mm
Lamp base	PK22s

# Lifetime Data

Lifespan B3	150 hr
Lifespan Tc	300 hr

## Capabilities

Technology	HAL

Η3

## Certificates & standards

ECE category

#### Environmental & Regulatory Information

## Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Primary article identifier	4052899991637   4052899999008   4052899991330   4058075141551   4062172114912   4062172388160   4062172257039	
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	No declarable substances contained	

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899991330	NIGHT BREAKER LASER H3	FS ECO 1	25 mm x 23 mm x 70 mm	0.61 dm³	9.00 g
4052899991354	NIGHT BREAKER LASER H3	Shipping carton box 100	245 mm x 145 mm x 140 mm	4.97 dm <sup>3</sup>	1015.00 g
4062172114912	NIGHT BREAKER LASER H3	Hard Cover Box 2	113 mm x 48 mm x 105 mm	0.61 dm³	105.00 g
4062172114929	NIGHT BREAKER LASER H3	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	609.00 g
4062172388160	NIGHT BREAKER LASER H3	HFB ECO 2	100 mm x 51 mm x 120 mm	0.61 dm³	44.00 g
4062172388177	NIGHT BREAKER LASER H3	Shipping carton box 10	266 mm x 111 mm x 134 mm	3.96 dm <sup>3</sup>	298.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Download Data

	File
7	User instruction GPRS_Safety symbols instructions
	ref_pim_amsp_product360degreeimages NIGHT BREAKER LASER next gen H3 64151NL

## Legal advice

Light output compared to the minimum ECE R112/R37 requirementsH4/H7/H8/H11/HB3/HB4

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.





人家









