

ULTRA LIFE R10W

Up to four times longer lifetime




Extra lifetime

Up to four times longer lifetime compared to standard auxiliary lamps



More durability

For longer replacement cycles and additional reliability and comfort



Wide product range

Fits for most common auxiliary lamp types



The durable light with up to four times longer lifetime

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	5008ULT
------------------------	---------


Electrical Data

Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10 W
Power input tolerance	±10 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	125 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	BA15s
Length	37.5 mm
Diameter	16.0 mm
Product weight	6.00 g

Lifetime Data

Lifespan B3	600 hr
Lifespan Tc	1200 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	R10W
--------------	------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172394918 4008321415226 4008321416568 4008321415400
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321415400	OSRA5008ULT	-	-	-



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321415226	ULTRA LIFE R10W	Blister 2	135 mm x 95 mm x 18 mm	0.23 dm ³	24.00 g
4008321415233	ULTRA LIFE R10W	Shipping carton box 20	225 mm x 105 mm x 145 mm	3.43 dm ³	303.00 g
4008321415400	ULTRA LIFE R10W	Unpacked 1	16 mm x 16 mm x 37 mm	0.01 dm ³	6.00 g
4008321415424	ULTRA LIFE R10W	Shipping carton box 50	205 mm x 143 mm x 64 mm	1.89 dm ³	428.00 g
4062172394918	ULTRA LIFE R10W	BLI ECO 2	95 mm x 27 mm x 135 mm	0.35 dm ³	23.00 g
4062172394925	ULTRA LIFE R10W	Shipping carton box 20	156 mm x 144 mm x 110 mm	2.47 dm ³	282.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

Product datasheet

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsproduct360degreeimages ULTRA LIFE R10W 5008ULT

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM